



HIGH-END PRODUCTS CATALOG

SPECIALTY STORE



* Picture for illustrative purpose only.

HIGH DESIGN ▪ HIGH EFFICIENCY ▪ HIGH PERFORMANCE



ABOUT US

J. A. ROBY has been at the forefront of the hearth industry for over 45 years. We are known for our blend of Canadian heritage design and heating efficiency, with designs that resonate with both traditional and contemporary decors. As one of North America's largest wood stove manufacturers with EPA certifications, we are committed to timeless designs, unbeatable performance, industry-leading warranties, and exceptional customer service.

We are also renowned for our commitment to innovation and to improving our heating appliances by relying on advanced technologies which have made it possible to modernize combustion to make them more eco-friendly.

Eddy Guerin

Eddy Guerin, President

Get more information at jaroby.com

Follow us on Facebook



ABOUT US	3
CONTENT	4
WOOD STOVES	
SERIES 10 000	6
RIGEL CHROME	
RIGEL	
ANTARES CHROME	
ANTARES	
SIRIUS CHROME	
SIRIUS	
SERIES 11 000	8
MAGNUM LX	
MAGNUM	
SERIES 12 000	9
ROBY 2500 LX	
ROBY 2500	
ROBY 2500 CUISINIERE LX	
ROBY 2500 CUISINIERE	
ATM 2500 LX	
ATM 2500	
ATM 2500 PLUS LX	
ATM 2500 PLUS	
2500 F LX	
2500 F	
FORGEUR-R LX	
FORGEUR-R	
SERIES 15 000	12
NEWTON LX	
NEWTON LX US	
NEWTON	
NEWTON US	
CUISINIERE LX 3.0	
CUISINIERE LX 3.0 US	
CUISINIERE SE 3.0	
CUISINIERE SE 3.0 US	
MICHIGAN LX	
MICHIGAN LX US	
MICHIGAN	
MICHIGAN US	

SERIES 16 000	14
CICERO LX	
CICERO	
COOK LX	
COOK	
MARMITON LX	
MARMITON	
SERIES 22 000	16
KOUZINA LX	
KOUZINA	
KUCHENKA LX	
KUCHENKA	
KOMFYR LX	
KOMFYR	
MESSENGER LX	
MESSENGER	
MAGELLAN LX	
MAGELLAN	
HUBBLE-R LX	
HUBBLE-R	
APOLLO-R LX	
APOLLO-R	
GEMINI-R LX	
GEMINI-R	
COMPARATIVE	20
OPTIONS	24



SERIES 10 000

CHARACTERISTICS

- CERTIFIED EPA 2020: 1.43 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 70,000 BTU
- Recommended heating area (ft²): 500 - 1,800
- Maximum log length: 18"

(See page 24 for options available on these products)

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



* RIGEL CHROME

The **RIGEL CHROME** model stands out with its stylish design, cast iron door, and beautiful ornaments. It will fit any decor. This highly versatile wood-burning cookstove has two removable lids for cooking, a cooking plate, and an overhead warmer. With emissions of 1.43 g/h, it is EPA Method 28R, CSA B415.1-10, and mobile home certified. It is a powerful, compact, and ecological model.

This small-size wood-burning appliance can reach an impressive heating capacity of 70,000 BTU and receive logs up to 18" long. It is recommended for 500 to 1,800 sq. ft. areas. It comes with a limited lifetime warranty. Outdoor air intake connector included (optional ducting).



Model #PBRICUICH

ANTARES CHROME*



Model #PBRANCH



The sleek-looking **ANTARES CHROME** model on pedestal includes a tested and certified safe space for wood storage under the stove. The wood-burning appliance also has convenient removable lids for cooking. It features a cast iron door and will match all styles.

Our **ANTARES CHROME** wood stove can accommodate logs up to 18" in length. It provides a maximum heating capacity of 70,000 BTU and is recommended for areas from 500 to 1,800 sq. ft. It is EPA Method 28R, CSA B415.1-10, and mobile home certified thanks to emissions of 1.43 g/h. Two 75 CFM fans, a thermodisk, and an outdoor air intake connector included (optional ducting). Black enameled cast iron cooking plate available as an option. Limited lifetime warranty.

SIRIUS CHROME*



Model #PBSICH



Our **SIRIUS CHROME** wood stove is all at once powerful, compact, and ecological. Its timeless design and small size make it a perfect fit virtually anywhere. It features a cast iron door as well as two removable lids for cooking. It can also be equipped with a kit of two 75 CFM fans and a thermodisk.

Recommended for 500 to 1,800 sq. ft. areas, it will provide the heat you need with a maximum heating capacity of 70,000 BTU. With emissions of 1.43 g/h, it is EPA Method 28R, CSA B415.1-10, and mobile home certified. The **SIRIUS CHROME** model accepts logs up to 18" long. Outdoor air intake connector included (optional ducting), black enameled cast iron cooking plate available as an option. Limited lifetime warranty.

RIGEL*



Regular model #PBRICUIN



ANTARES*



Regular model #PBANN



SIRIUS*



Regular model #PBSIN



SERIES 11000

CHARACTERISTICS

- CERTIFIED CAN/CSA B415.1-10: 1.30 g/h
- Capacity (dry cordwood): 120,000 BTU
- Recommended heating area (ft²): 1,200 - 3,800
- Maximum log length: 24"

(See page 24 for options available on these products)

MAGNUM LX

Our **MAGNUM LX** model is the industry's largest wood stove; it is 37-13/16" high, 29" wide, and 37-7/16" deep, and it includes a 4.47 cu. ft. firebox. It can easily warm up areas of up to 3,800 sq. ft. This powerful, nice-looking wood stove provides an outstanding heating capacity of up to 120,000 BTU and can accommodate logs up to 24" long. The **MAGNUM LX** model on legs features a cast iron door.

With 1.30 g/h emissions, it is CSA B415.1-10 certified. Two optional 75 CFM fans and a thermodisk can be added. An adapter kit including two 6" ducts, a 460 CFM blower, and a thermodisk (VENTULT) is also available as an option. Limited lifetime warranty.



Model #MAGNUMLX

MAGNUM



Regular model #MAGNUM



SERIES 12000

CHARACTERISTICS

- CERTIFIED CAN/CSA B415.1-10: 1.02 g/h
- Capacity (dry cordwood): 95,000 BTU
- Recommended heating area (ft²): 1,000 - 2,500
- Maximum log length: 19"

(See page 24 for options available on these products)

ROBY 2500 LX

The high-efficiency **ROBY 2500 LX** model will give you all the heat you need when you need it with a maximum output of 95,000 BTU (dry cordwood). This wood stove is recommended for areas from 1,000 to 2,500 sq. ft. This beautiful model on legs features a cast iron door and a convenient easy-access ash drawer. It can receive logs up to 19" in length.

With 1.02 g/h emissions, the **ROBY 2500 LX** wood stove is CSA B415.10 and ULC S627 certified. It is also mobile home certified (outdoor air intake required). It can be equipped with a kit of two 75 CFM fans and a thermodisk. Cooking plate available as an option. Limited lifetime warranty.



Model #ROBY2500LX

ROBY 2500 CUISINIERE LX



Model #ROBY2500CUILX

The **ROBY 2500 CUISINIERE LX** wood-burning cookstove will give you all the heat you need when you need it with an maximum output of 95,000 BTU (dry cordwood). Enjoy peace of mind during power outages with this cookstove that features an overhead warmer and a cooking plate to cook or heat your meals.

The **ROBY 2500 CUISINIERE LX** wood-burning cookstove is environmentally friendly, with emissions levels as low as 1.02 g/h. These results were obtained during official performance tests conducted in accordance with standard CSA B415.1-10.



ATM 2500 LX



The high-efficiency 95,000 BTU **ATM 2500 LX** wood stove features a cast iron door. It can accommodate logs up to 19" long and is recommended to areas from 1,000 to 2,500 sq. ft.

With very low 1.02 g/h emissions, it is CSA B415.1-10 and ULC S627 certified and comes with a limited lifetime warranty. The **ATM 2500 LX** model is also mobile home certified (outdoor air intake required). Two optional 75 CFM fans and a thermodisk can be added.

The **ATM 2500 PLUS LX** model is a wood stove on base with heat accumulator on top. It can reach 110,000 BTU (dry cordwood) and accommodate logs up to 19". It is recommended for areas from 1,000 to 3,000 sq. ft. Its design features a cast iron door as well as chrome handles and corners.

The model includes a 460 CFM blower and a thermodisk. With very low 1.02 g/h emissions, the **ATM 2500 PLUS LX** wood stove is CSA B415.1-10, ULC S627, and mobile home certified (outdoor air intake required).

ATM 2500 PLUS LX



2500 F LX



The **2500 F LX** is a high-efficiency wood stove on legs integrating an oven on top of the firebox and featuring a cast iron door. The model can accommodate logs up to 19".

With a maximum capacity of 95,000 BTU, this beautiful model is suited for 1,000 to 2,500 sq. ft. areas. It is CSA B415.1-10 and ULC S627 certified (very low 1.02 g/h emissions). The **2500 F LX** model is also mobile home certified (outdoor air intake required). It can be equipped with two 75 CFM fans and a thermodisk as an option. Limited lifetime warranty.

FORGEUR-R LX



The **FORGEUR-R LX** model is a high-efficiency wood stove that is CSA B415.1-10 and ULC S627 certified thanks to emissions as low as 1.02 g/h. Recommended for 1,000 to 2,500 sq. ft. areas, it will provide you with all the heat you need with an maximum output of 95,000 BTU.

The model accepts logs up to 19" in length. It can be equipped with a kit of two 75 CFM fans and a thermodisk. The **FORGEUR-R LX** wood stove comes with a limited lifetime warranty and is mobile home certified (outdoor air intake required).

ROBY 2500



ROBY 2500 CUISINIERE



ATM 2500



ATM 2500 PLUS



2500 F



FORGEUR-R



SERIES 15 000

CHARACTERISTICS

- Certified EPA Exempt
- CERTIFIED CAN/CSA B415.1-10: 1.02 g/h
- Capacity (dry cordwood): 95,000 BTU
- Recommended heating area (ft²): 1,500 - 2,300
- Maximum log length: 19"

(See page 25 for options available on these products)

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



* NEWTON LX

The **NEWTON LX** model is a wood cookstove on legs. Its firebox features a cast iron door, an ash tray and accepts logs up to 19" in length. The model suits areas from 1,500 to 2,300 sq. ft. and provides a maximum heating capacity of 95,000 BTU.

With very low 1.02 g/h emissions, it is CSA B415.1, ULC S627, EPA Exempt and UL 1482 certified. The model comes with a limited lifetime warranty and with optional black enameled cast iron cooking plates. Outdoor air intake connector included (optional ducting).



Model #CBNEWTLX
US Model #CBNEWTXUS

CUISINIERE LX 3.0 *



Model #CUILX3
US Model #CUILX3US

Our **CUISINIERE LX 3.0** is a wood cookstove on legs features a cast iron door on firebox side, an ash tray and includes a convenient food warmer on top. It can reach a heating capacity of 95,000 BTU and accommodate logs up to 19". This model is recommended for areas of 1,500 to 2,300 sq. ft.

With very low 1.02 g/h emissions, it is CSA B415.1, ULC S627, EPA Exempt and UL 1482 certified. Black enameled cast iron cooking plates and decorative chrome-plated top with mirror available as options. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.

MICHIGAN LX *



Model #CBMICH LX
US Model #CBMICH LXUS

Our **MICHIGAN LX** model is a wood cookstove on legs with a cast iron door on firebox side and an ash tray. Its 95,000 BTU maximum heating capacity makes it ideal for areas from 1,500 to 2,300 sq. ft.

With very low 1.02 g/h emissions, it is CSA B415.1, ULC S627, EPA Exempt and UL 1482 certified. The **MICHIGAN LX** cookstove can accommodate logs up to 19" long. Black enameled cast iron cooking plates available as an option. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.

NEWTON *



Regular model #CBNEWT
US regular model #CBNEWTUS

CUISINIERE SE 3.0 *



Regular model #CUISE3
US regular model #CUISE3US

MICHIGAN *



Regular model #CBMICH
US regular model #CBMICHUS

SERIES 16 000

CHARACTERISTICS

- CERTIFIED EPA 2020: 1.88 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 70,000 BTU
- Recommended heating area (ft²): 1,000 - 1,800
- Maximum log length: 18"

(See page 25 for options available on these products)

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



* CICERO LX

The **CICERO LX** wood cookstove on legs will fit perfectly in your space. This eco-friendly appliance is recommended for 1,000 to 1,800 sq. ft. areas with its 70,000 BTU heating capacity. The convenient **CICERO LX** model includes an ash tray, a two-gallon stainless steel water tank with faucet, an upper food warmer, as well as three removable lids for cooking, including a double one.

This nice-looking cookstove features a cast iron door in front of the firebox and chromed corners and ornaments. It accepts logs up to 18" in length. The model is mobile home, EPA Method 28R certified with 1.88 g/h emissions. Optional cooking plate and decorative top. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.



Model #CBCILX

COOK LX *



Model #CBCOLX

The beautiful **COOK LX** wood cookstove on legs features a cast iron door on firebox side and chromed corners, handles, and ornaments. It includes an ash tray as well as a convenient upper food warmer. The model also has a handle and three removable lids on top for cooking, including a double one. The firebox can accommodate logs up to 18" long.

With its maximum 70,000 BTU heating capacity, the **COOK LX** cookstove is recommended for 1,000 to 1,800 sq. ft. areas. Thanks to its 1.88 g/h emissions, the model is mobile home, EPA Method 28R. Optional cooking plate and decorative top. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.

MARMITON LX *



Model #CBMALX

Add warmth, comfort, and a touch of magic to your home with the **MARMITON LX** wood-burning cookstove on legs. This eco-friendly model, recommended for 1,000 to 1,800 sq. ft. areas, provides a maximum heating capacity of 70,000 BTU. It can receive logs up to 18" long.

The attractive **MARMITON LX** model includes an features cast iron door on firebox side, chromed corners, and an ash tray. More importantly, it features on top three removable lids for cooking, including a double one. With 1.88 g/h emissions, this model is EPA Method 28R and mobile home certified. Cooking plate available as an option. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.

CICERO *



Regular model #CBCI

COOK *



Regular model #CBCO

MARMITON *



Regular model #CBMA

SERIES 22000

CHARACTERISTICS

- CERTIFIED EPA 2020: 1.56 g/h
- MOBILE HOME (except Kouzina, Kuchenka and Komfyr) & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 110,000 BTU
- Recommended heating area (ft²): 1,000 - 3,000 (woodstove)
1,500 - 3,000 (cookstove)
- Maximum log length: 22"

(See pages 25 and 26 for options available on these products)

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



* KOUZINA LX

The **KOUZINA LX** is a very versatile wood cookstove on legs that is suited for 1,500 to 3,000 sq. ft. areas. It perfectly combines traditional heat, a food warmer and four removable lids for cooking on top, and a water tank on the side.

Its design is both beautiful and convenient with a cast iron door on the firebox, an ash tray, a door on oven side, as well as chromed oven racks, corners, and ornaments. It provides up to 110,000 BTU (dry cordwood) and is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). The model can accommodate logs up to 22" and includes outdoor air intake connector (optional ducting).



Model #CBKOU LX

KUCHENKA LX *



Model # CBKUCLX

The **KUCHENKA LX** wood cookstove on legs features a cast iron door on the firebox and one on oven side and an ash tray. This versatile model includes a food warmer, an oven rack and four removable lids for cooking. It comes with chromed handles, corners, and ornaments.

The **KUCHENKA LX** cookstove is recommended for 1,500 to 3,000 sq. ft. areas. It provides up to 110,000 BTU (dry cordwood) and is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). Its 3.8 cu. ft. firebox can receive logs up to 22" in length. Outdoor air intake connector included (optional ducting).

KOMFYR LX *



Model #CBKOM LX

KOMFYR LX is a modern-looking, high-efficiency wood-burning cookstove on legs with chromed handles and corners. It includes a cast iron door on the firebox, a door on oven side, an ash tray, a chromed oven rack, and four removable lids for cooking.

With up to 110,000 BTU (dry cordwood), it is perfect for heating areas between 1,500 to 3,000 sq. ft. The **KOMFYR LX** model is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). Maximum log length of 22", outdoor air intake connector included (optional ducting).

MESSENGER LX

The **MESSENGER LX** is a classic in wood stove design. It can heat up to 3,000 sq. ft. and has a heating capacity up to 110,000 BTU (dry cordwood). High efficiency wood stove, US EPA NSPS 2020 and CSA B415.1 certified.



Model #PB MELX

MAGELLAN LX



Model #PBMALX

With its contemporary look, the **MAGELLAN LX** on base is designed to enhance your home. Its heating capacity of up to 110,000 BTU (dry cordwood) is sure to please. High efficiency wood stove, US EPA NSPS 2020 and CSA B415.1 certified.



HUBBLE-R LX



Model #PBHURLX



The high-efficiency **HUBBLE-R LX** freestanding wood stove features a flat top, a cast iron door and a chrome handle. It is recommended for areas from 1,000 to 3,000 sq. ft.

Its heating capacity can reach up to 110,000 BTU (dry cordwood) and the model can accommodate logs up to 22" long. An outdoor air intake is included. Outdoor air intake ducting, two blowers and a thermodisk are available as an option. With low emissions of 1.56 g/h, the **HUBBLE-R LX** model is mobile home as well as EPA and CSA B415.1 standards certified.

APOLLO-R LX

The **APOLLO-R LX** can be used in place of a furnace to circulate heat in the room where it is installed using the 460 CFM included. A second blower of the same power can also be added for greater comfort (optional).

High efficiency wood stove provided with heat accumulator unit on top allowing a better distribution of the heat throughout the room and optimizing the heating capacity of the unit.



Model #PBAPRLX



GEMINI-R LX



Model #CBGERLX



The **GEMINI-R LX** stove's oven is located on top of the woodburning stove; an interesting advantage when it comes to minimizing space. A controller vent is built in and provide a better control of the heat of the oven. High efficiency wood cookstove US EPA NSPS 2020 and CSA B415.1 certified.

KOUZINA *



Regular model #CBKOU



KUCHENKA *



Regular model #CBKUC



KOMFYR *



Regular model #CBKOM



MESSENGER



Regular model #PBME



MAGELLAN



Regular model #PBMA



HUBBLE-R



Regular model #PBHUR



APOLLO-R



Regular model #PBAPR



GEMINI-R



Regular model #CBGER



COMPARATIVE												
PRODUCT NAME	CODE	RECOMMENDED SURFACE (ft ²)	MAXIMUM CAPACITY (dry cordwood)	MAXIMUM LOG LENGTH	FIREBOX VOLUME (ft ³)	OVERALL DIMENSIONS (W x H x D) (in.)	OVEN DIMENSIONS (W x H x D) (in.)	EPA	CSA B415	EMISSIONS	WEIGHT	MOBILE HOME APPROVED
RIGEL CHROME	PBRICUICH	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 54-1/8 x 25-1/2	N/A	√		1.43 g/h	320 lbs	Yes
RIGEL	PBRICUIN	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 54-1/8 x 25-1/2	N/A	√		1.43 g/h	320 lbs	Yes
ANTARES CHROME	PBANCH	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 41-1/4 x 25-1/2	N/A	√		1.43 g/h	297 lbs	Yes
ANTARES	PBANN	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 41-1/4 x 25-1/2	N/A	√		1.43 g/h	297 lbs	Yes
SIRUIS CHROME	PBSICH	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 33 x 25-1/2	N/A	√		1.43 g/h	266 lbs	Yes
SIRIUS	PBSIN	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 33 x 25-1/2	N/A	√		1.43 g/h	266 lbs	Yes
MAGNUM LX	MAGNUMLX	1,200-3,800	120,000 BTU	24"	4.47	29 x 37-13/16 x 37-7/16	N/A		√	1.30 g/h	507 lbs	No
MAGNUM	MAGNUM	1,200-3,800	120,000 BTU	24"	4.47	29 x 37-13/16 x 37-7/16	N/A		√	1.30 g/h	507 lbs	No
ROBY 2500 LX	ROBY2500LX	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
ROBY 2500	ROBY2500N	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
ROBY 2500 CUISINIERE LX	ROBY2500CUILX	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 54-1/8 x 30-5/8	N/A		√	1.02 g/h	440 lbs	With option
ROBY 2500 CUISINIERE	ROBY2500CUIN	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 54-1/8 x 30-5/8	N/A		√	1.02 g/h	440 lbs	With option
ATM 2500 LX	PBATM2500LX	1,000-2,500	95,000 BTU	19"	2.51	29-7/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
ATM 2500	PBATM2500	1,000-2,500	95,000 BTU	19"	2.51	29-7/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
ATM 2500 PLUS LX	PBATM2500PLX	1,000-3,000	110,000 BTU	19"	2.51	29-7/8 x 51-1/4 x 31-7/8	N/A		√	1.02 g/h	510 lbs	With option
ATM 2500 PLUS	PBATM2500P	1,000-3,000	110,000 BTU	19"	2.51	29-7/8 x 51-1/4 x 31-7/8	N/A		√	1.02 g/h	510 lbs	With option
2500 F LX	PB2500FLX	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 51-3/8 x 30-5/8	17 x 11-3/4 x 13-3/4		√	1.02 g/h	490 lbs	With option
2500 F	PB2500F	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 51-3/8 x 30-5/8	17 x 11-3/4 x 13-3/4		√	1.02 g/h	490 lbs	With option
FORGEUR-R LX	PBFORGRLX	1,000-2,500	95,000 BTU	19"	2.51	30-5/8 x 41-1/4 x 30-5/8	N/A		√	1.02 g/h	445 lbs	With option
FORGEUR-R	PBFORGR	1,000-2,500	95,000 BTU	19"	2.51	30-5/8 x 41-1/4 x 30-5/8	N/A		√	1.02 g/h	445 lbs	With option
NEWTON LX	CBNEWTLX CBNEWTLXUS	1,500-2,300	95,000 BTU	19"	2.51	62-1/2 x 58-3/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	640 lbs	No
NEWTON	CBNEWT CBNEWTUS	1,500-2,300	95,000 BTU	19"	2.51	62-1/2 x 58-3/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	640 lbs	No
CUISINIERE LX 3.0	CUILX3 CUILX3US	1,500-2,300	95,000 BTU	19"	2.51	51-1/2 x 58-3/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	610 lbs	No
CUISINIERE SE 3.0	CUISE3 CUISE3US	1,500-2,300	95,000 BTU	19"	2.51	51-1/2 x 58-3/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	610 lbs	No



PRODUCT NAME	CODE	RECOMMENDED SURFACE (ft ²)	MAXIMUM CAPACITY (dry cordwood)	MAXIMUM LOG LENGTH	FIREBOX VOLUME (ft ³)	OVERALL DIMENSIONS (W x H x D) (in.)	OVEN DIMENSIONS (W x H x D) (in.)	EPA	CSA B415	EMISSIONS	WEIGHT	MOBILE HOME APPROVED
MICHIGAN LX	CBMICH LX CBMICH LXUS	1,500-2,300	95,000 BTU	19"	2.51	51-1/2 x 39-1/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	✓	1.02 g/h	500 lbs	No
MICHIGAN	CBMICH CBMICHUS	1,500-2,300	95,000 BTU	19"	2.51	51-1/2 x 39-1/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	✓	1.02 g/h	500 lbs	No
CICERO LX	CBCILX	1,000-1,800	70,000 BTU	18"	1.79	51-3/4 x 58-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	✓		1.88 g/h	567 lbs	Yes
CICERO	CBCI	1,000-1,800	70,000 BTU	18"	1.79	51-3/4 x 58-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	✓		1.88 g/h	567 lbs	Yes
COOK LX	CBCOLX	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 58-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	✓		1.88 g/h	532 lbs	Yes
COOK	CBCO	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 58-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	✓		1.88 g/h	532 lbs	Yes
MARMITON LX	CBMALX	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 37-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	✓		1.88 g/h	468 lbs	Yes
MARMITON	CBMA	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 37-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	✓		1.88 g/h	468 lbs	Yes
KOUZINA LX	CBKOULX	1,500-3,000	110,000 BTU	22"	3.8	57-7/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	✓		1.56 g/h	750 lbs	No
KOUZINA	CBKOU	1,500-3,000	110,000 BTU	22"	3.8	57-7/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	✓		1.56 g/h	750 lbs	No
KUCHENKA LX	CBKUCLX	1,500-3,000	110,000 BTU	22"	3.8	47-3/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	✓		1.56 g/h	725 lbs	No
KUCHENKA	CBKUC	1,500-3,000	110,000 BTU	22"	3.8	47-3/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	✓		1.56 g/h	725 lbs	No
KOMFYR LX	CBKOMLX	1,500-3,000	110,000 BTU	22"	3.8	47-1/4 x 40-7/8 x 34-1/2	17 x 11-3/4 x 19	✓		1.56 g/h	650 lbs	No
KOMFYR	CBKOM	1,500-3,000	110,000 BTU	22"	3.8	47-1/4 x 40-7/8 x 34-1/2	17 x 11-3/4 x 19	✓		1.56 g/h	650 lbs	No
MESSENGER LX	PBMELX	1,000-3,000	110,000 BTU	22"	3.8	26 x 36-5/8 x 33-5/8	N/A	✓		1.56 g/h	360 lbs	Yes
MESSENGER	PBME	1,000-3,000	110,000 BTU	22"	3.8	26 x 36-5/8 x 33-5/8	N/A	✓		1.56 g/h	360 lbs	Yes
MAGELLAN LX	PBMALX	1,000-3,000	110,000 BTU	22"	3.8	28-1/8 x 36-5/8 x 34-1/4	N/A	✓		1.56 g/h	370 lbs	Yes
MAGELLAN	PBMA	1,000-3,000	110,000 BTU	22"	3.8	28-1/8 x 36-5/8 x 34-1/4	N/A	✓		1.56 g/h	370 lbs	Yes
HUBBLE-R LX	PBHURLX	1,000-3,000	110,000 BTU	22"	3.8	26 x 45 x 34-3/8	N/A	✓		1.56 g/h	370 lbs	Yes
HUBBLE-R	PBHUR	1,000-3,000	110,000 BTU	22"	3.8	26 x 45 x 34-3/8	N/A	✓		1.56 g/h	370 lbs	Yes
APOLLO-R LX	PBAPRLX	1,000-3,500	110,000 BTU	22"	3.8	26 x 56-1/4 x 33-5/8	N/A	✓		1.56 g/h	460 lbs	Yes
APOLLO-R	PBAPR	1,000-3,500	110,000 BTU	22"	3.8	26 x 56-1/4 x 33-5/8	N/A	✓		1.56 g/h	460 lbs	Yes
GEMINI-R LX	CBGERLX	1,000-3,000	110,000 BTU	22"	3.8	28 x 54-7/8 x 34-3/8	17 x 11-3/4 x 16-3/4	✓		1.56 g/h	500 lbs	Yes
GEMINI-R	CBGER	1,000-3,000	110,000 BTU	22"	3.8	28 x 54-7/8 x 34-3/8	17 x 11-3/4 x 16-3/4	✓		1.56 g/h	500 lbs	Yes

PRODUCT NAME	CODE	OPTIONS FOR EACH SERIES	CODE
RIGEL CHROME	PBRICUICH	Blowers 150 CFM (2X 75) and thermodisc kit	VENT
RIGEL	PBRICUIN	Enameled cast iron cooking plate	PLAQUECUICR
ANTARES CHROME	PBANCH	Decorative top chrome/mirror (for warmer)	TDDCHP
ANTARES	PBANN	Chrome-plated cast iron leg 11" (unit)	PATCHROME
SIRIUS CHROME	PBSICH	Outdoor air intake conduct kit	ECPAE
SIRIUS	PBSIN		
MAGNUM LX	MAGNUMLX	Blowers 150 CFM (2X 75) and thermodisc kit	VENT
MAGNUM	MAGNUM	460 CFM blower and thermodisc kit	VENT460TH
		2X 6" duct adaptor and 460 CFM blower kit	VENTULT
		Chrome-plated cast iron leg 11" (unit)	PATCHROME
		Outdoor air intake adaptor kit	UMPAE
		Outdoor air intake conduct kit	ECPAE
ROBY 2500 LX	ROBY2500LX	Blowers 150 CFM (2X 75) and thermodisc kit	VENT
ROBY 2500	ROBY2500N	460 CFM blower and thermodisc kit	VENT460TH
ROBY 2500 CUISINIERE LX	ROBY2500CUILX	460 CFM blower	VENT460T+
ROBY 2500 CUISINIERE	ROBY2500CUIN	Enameled cast iron cooking plate	PLAQUECUID
ATM 2500 LX	PBATM2500LX	Decorative top chrome/mirror (for warmer)	TDDCHP
ATM 2500	PBATM2500	Chrome-plated cast iron leg 11" (unit)	PATCHROME
ATM 2500 PLUS LX	PBATM2500PLX	Outdoor air intake adaptor kit	UMPAE
ATM 2500 PLUS	PBATM2500P	Outdoor air intake conduct kit	ECPAE
2500 F LX	PB2500FLX		
2500 F	PB2500F		
FORGEUR-R LX	PBFORGRLX		
FORGEUR-R	PBFORGR		



PRODUCT NAME	CODE	OPTIONS FOR EACH SERIES	CODE
NEWTON LX	CBNEWTLX CBNEWTLXUS	Enameled cast iron cooking plate (right)	PLAQUECUID
NEWTON	CBNEWT CBNEWTUS	Enameled cast iron cooking plate (left)	PLAQUECUIG
CUISINIERE LX 3.0	CUILX3 CUILX3US	Extra oven rack for cookstove	CUISINIEREGF
CUISINIERE SE 3.0	CUISE3 CUISE3US	15 000 series water reservoir	CB15RE
MICHIGAN LX	CBMICHLX CBMICHLXUS	Chrome-plated cast iron leg 15" (unit)	PATCHI5
MICHIGAN	CBMICH CBMICHUS	Decorative top chrome/mirror (for warmer)	TDDCM
		Outdoor air intake conduct kit	ECPAE
CICERO LX	CBCILX	Enameled cast iron cooking plate (right)	CBCPCD
CICERO	CBCI	Enameled cast iron cooking plate (left)	CBCPCG
COOK LX	CBCOLX	Extra oven rack for cookstove	CUISINIEREGF
COOK	CBCO	Water reservoir	CBFRE
MARMITON LX	CBMALX	Chrome-plated cast iron leg 15" (unit)	PATCHI5
MARMITON	CBMA	Decorative top chrome/mirror (for warmer)	CBFTRCH
		Outdoor air intake conduct kit	ECPAE
KOUZINA LX	CBKOULX	Extra oven rack for cookstove	CUISINIEREGF
KOUZINA	CBKOU	Water reservoir	CBFRE
KUCHENKA LX	CBKUCLX	Chrome-plated cast iron leg 15" (unit)	PATCHI5
KUCHENKA	CBKUC	Outdoor air intake conduct kit	ECPAE
KOMFYR LX	CBKOMLX		
KOMFYR	CBKOM		

Continued on next page



PRODUCT NAME	CODE	OPTIONS FOR EACH SERIES	CODE
MESSENGER LX	PBMELX	Blowers 150 CFM (2X 75) and thermodisc kit	VENT
MESSENGER	PBME	460 CFM blower and thermodisc kit	VENT460TH
MAGELLAN LX	PBMALX	460 CFM blower	VENT460T+
MAGELLAN	PBMA	Chrome-plated cast iron leg 11" (unit)	PATCHROME
HUBBLE-R LX	PBHURLX	Outdoor air intake conduct kit	ECPAE
HUBBLE-R	PBHUR		
APOLLO-R LX	PBAPRLX		
APOLLO-R	PBAPR		
GEMINI-R LX	CBGERLX		
GEMINI-R	CBGER		



* Picture for illustrative purpose only.



J.A. ROBY
490, RUE DE L'ARGON
QUEBEC, QC, CANADA G2N 2C9

Printed in Canada
05_2024_V_1