



HIGH-END PRODUCTS CATALOG



* Picture for illustrative purposes only.

HIGH DESIGN ▪ HIGH EFFICIENCY ▪ HIGH PERFORMANCE



ABOUT US

J. A. ROBY has been at the forefront of the hearth industry for over 45 years. We are known for our blend of Canadian heritage design and heating efficiency, with designs that resonate with both traditional and contemporary decors. As one of North America’s largest wood stove manufacturers with EPA certifications, we are committed to timeless designs, unbeatable performance, industry-leading warranties, and exceptional customer service.

We are also renowned for our commitment to innovation and to improving our heating appliances by relying on advanced technologies which have made it possible to modernize combustion to make them more eco-friendly.

Eddy Guerin
Eddy Guerin, President

Get more information at jaroby.com

Follow us on Facebook



ABOUT US	2
CONTENT	3
WOOD STOVES	
SERIES 10 000	
CENTAURI	4
VEGA	4
POLARIS	5
SERIES 11000	
ULTIMATE	6
SERIES 12 000	
FORGERON	7
FORGERON CUISINIERE	7
ATMOSPHERE 3.0	8
ATMOSPHERE 3.0 PLUS	8
FERRONNIER	8
FORGEUR	9
SERIES 15 000	
STRATO	10
CUISINIERE 3.0	10
EXO	11
SERIES 16 000	
CHIEF	12
CUISTOT	12
ELDA	13
SERIES 22000	
PIONEER	14
SCORE	14
HUBBLE	15
APOLLO	15
GEMINI	15
KOCHER	16
COCINERA	16
FORNELLO	17
COMPARATIVE	18



SERIES 10 000

CHARACTERISTICS

- CERTIFIED EPA 2020: 1.43 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 70,000 BTU
- Recommended heating area (ft²): 500 - 1,800
- Maximum log length: 18"

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



* CENTAURI

The **CENTAURI** model stands out with its stylish design, arched cast iron door, and beautiful ornaments. It will fit any decor. This highly versatile wood-burning cookstove has two removable lids for cooking, a cooking plate, and an overhead warmer. With emissions of 1.43 g/h, it is EPA Method 28R, CSA B415.1-10, and mobile home certified. It is a powerful, compact, and ecological model.

This small-size wood-burning appliance can reach an impressive heating capacity of 70,000 BTU and receive logs up to 18" long. It is recommended for 500 to 1,800 sq. ft. areas. It comes with a limited lifetime warranty. Outdoor air intake connector included (optional ducting).



Model #PBCE

VEGA *



Model #PBVE



The sleek-looking **VEGA** model on pedestal includes a tested and certified safe space for wood storage under the stove. The wood-burning appliance also has convenient removable lids for cooking. It features an arched cast iron door and will match all styles.

Our **VEGA** wood stove can accommodate logs up to 18" in length. It provides a maximum heating capacity of 70,000 BTU and is recommended for areas from 500 to 1,800 sq. ft. It is EPA Method 28R, CSA B415.1-10, and mobile home certified thanks to emissions of 1.43 g/h. Two 75 CFM fans, a thermodisk, and an outdoor air intake connector included (optional ducting). Black enameled cast iron cooking plate available as an option. Limited lifetime warranty.

POLARIS *



Model #PBPO



Our **POLARIS** wood stove is all at once powerful, compact, and ecological. Its timeless design and small size make it a perfect fit virtually anywhere. It features an arched cast iron door as well as two removable lids for cooking. It can also be equipped with a kit of two 75 CFM fans and a thermodisk.

Recommended for 500 to 1,800 sq. ft. areas, it will provide the heat you need with a maximum heating capacity of 70,000 BTU. With emissions of 1.43 g/h, it is EPA Method 28R, CSA B415.1-10, and mobile home certified. The **POLARIS** model accepts logs up to 18" long. Outdoor air intake connector included (optional ducting), black enameled cast iron cooking plate available as an option. Limited lifetime warranty.

SERIES 11000

CHARACTERISTICS

- CERTIFIED CAN/CSA B415.1-10: 1.30 g/h
- Capacity (dry cordwood): 120,000 BTU
- Recommended heating area (ft²): 1,200 - 3,800
- Maximum log length: 24"

ULTIMATE

Our **ULTIMATE** model is nothing less than the biggest wood stove on the market with a height of 37-13/16", width of 29", and depth of 37-7/16". A combustion chamber capacity of 4.47 cu. ft. It will easily warm areas up to 3,800 ft². This attractive and powerful wood stove has an incredible 120,000 BTU heating capacity and easily accommodates logs 24" in length. The **ULTIMATE** on legs features an arched cast iron door and is CSA B415.1-10 certified with emissions of 1.30 g/h.

For improved heat distribution within a large space, a special top called VENTULT that can accommodate two 6" ducts, a 460 CFM blower with high-low speed and a thermdisc is offered as an option. Also optional is a blower and thermdisc only called VENT460TH. Limited lifetime warranty.



Model #ULT15

SERIES 12000

CHARACTERISTICS

- CERTIFIED CAN/CSA B415.1-10: 1.02 g/h
- Capacity (dry cordwood): 95,000 BTU
- Recommended heating area (ft²): 1,000 - 2,500
- Maximum log length: 19"

FORGERON

The high-efficiency **FORGERON** model will give you all the heat you need when you need it with a maximum output of 95,000 BTU (dry cordwood). This wood stove is recommended for areas from 1,000 to 2,500 sq. ft. This beautiful model on legs features an arched cast iron door and a convenient easy-access ash drawer. It can receive logs up to 19" in length.

With 1.02 g/h emissions, the **FORGERON** wood stove is CSA B415.10 and ULC S627 certified. It is also mobile home certified (outdoor air intake required). It can be equipped with a kit of two 75 CFM fans and a thermdisk. Cooking plate available as an option. Limited lifetime warranty.



Model #FORGERON

FORGERON CUISINIERE



Model #FORCUI

The **FORGERON CUISINIERE** wood-burning cookstove will give you all the heat you need when you need it with an average output of 95,000 BTU (dry cordwood). Enjoy peace of mind during power outages with this cookstove that features an overhead warmer and a cooking plate to cook or heat your meals.

The **FORGERON CUISINIERE** wood-burning cookstove is environmentally friendly, with emissions levels as low as 1.02 g/h. These results were obtained during official performance tests conducted in accordance with standard CSA B415.1-10, the Canadian environmental standard that is the equivalent of the US EPA standard.



FORGEUR



The **FORGEUR** model is a high-efficiency wood stove that is CSA B415.1-10 and ULC S627 certified thanks to emissions as low as 1.02 g/h. Recommended for 1,000 to 2,500 sq. ft. areas, it will provide you with all the heat you need with an average output of 95,000 BTU.

The model accepts logs up to 19" in length. It can be equipped with a kit of two 75 CFM fans and a thermodisk. The **FORGEUR** wood stove comes with a limited lifetime warranty and is mobile home certified (outdoor air intake required).

Modèle #PBFORG

FERRONNIER

Model #PBATM3P



With a maximum efficiency of 95,000 BTU, this beautiful model is suited for 1,000 to 2,500 sq. ft. areas. It is CSA B415.1-10 and ULC S627 certified (very low 1.02 g/h emissions). The **FERRONNIER** model is also mobile home certified (outdoor air intake required). It can be equipped with two 75 CFM fans and a thermodisk as an option. Limited lifetime warranty.

Model #PBFER

SERIES 15 000

CHARACTERISTICS

- Certified EPA Exempt
- CERTIFIED CAN/CSA B415.1-10: 1.02 g/h
- Capacity (dry cordwood): 95,000 BTU
- Recommended heating area (ft²): 1,500 - 2,300
- Maximum log length: 19"

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



*STRATO

The **STRATO** model is a freestanding wood cookstove. Its firebox features an arched cast iron door, an ash tray and accepts logs up to 19" in length. The model suits areas from 1,500 to 2,300 sq. ft. and provides a maximum heating capacity of 95,000 BTU.

With very low 1.02 g/h emissions, it is CSA B415.1, ULC S627, EPA Exempt and UL 1482 certified. The model comes with a limited lifetime warranty and with an optional black enameled cast iron cooking plate. Outdoor air intake connector included (optional ducting).



Model #CBSTRA
US Model #CBSTRAUS

CUISINIERE 3.0 *



Model #CUI3
US Model #CUI3US

Our **CUISINIERE 3.0** freestanding wood cookstove features an attractive arched cast iron door on firebox side, an ash tray and includes a convenient food warmer on top. It can reach a heating capacity of 95,000 BTU and accommodate logs up to 19". This model is recommended for areas of 1,500 to 2,300 sq. ft.

With very low 1.02 g/h emissions, it is CSA B415.1, ULC S627, EPA Exempt and UL 1482 certified. Black enameled cast iron cooking plates and decorative chrome-plated top with mirror available as options. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.



EXO *



Model #CBEXO
US Model #CBEXOUS



Our **EXO** model is a freestanding wood cookstove with an arched cast iron door on firebox side and an ash tray. Its 95,000 BTU maximum heating capacity makes it ideal for areas from 1,500 to 2,300 sq. ft.

With very low emissions (1.02 g/h), it is CSA B415.1, ULC S627, EPA Exempt and UL 1482 certified. The **EXO** cookstove can accommodate logs up to 19" long. Black enameled cast iron cooking plates available as an option. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.



SERIES 16 000

CHARACTERISTICS

- CERTIFIED EPA 2020: 1.88 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 70,000 BTU
- Recommended heating area (ft²): 1,000 - 1,800
- Maximum log length: 18"

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



* CHIEF

The **CHIEF** freestanding wood cookstove will fit perfectly in your space. This eco-friendly appliance is recommended for 1,000 to 1,800 sq. ft. areas with its 70,000 BTU heating capacity. The convenient **CHIEF** model includes an ash tray, a two-gallon stainless steel water tank with faucet, an upper food warmer, as well as three removable lids for cooking, including a double one.

This nice-looking cookstove features an arched cast iron door in front of the firebox and chromed corners and ornaments. It accepts logs up to 18" in length. The model is mobile home, EPA Method 28R, and CSA B415.1-10 certified with 1.88 g/h emissions. Optional cooking plate and decorative top. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.



Model #CBCH

CUISTOT *



Model #CBCU

The beautiful **CUISTOT** freestanding wood cookstove features an arched cast iron door on firebox side and chromed corners, handles, and ornaments. It includes an ash tray as well as a convenient upper food warmer. The model also has a handle and three removable lids on top for cooking, including a double one. The firebox can accommodate logs up to 18" long.

With its maximum 70,000 BTU heating capacity, the **CUISTOT** cookstove is recommended for 1,000 to 1,800 sq. ft. areas. Thanks to 1.88 g/h emissions, the model is mobile home, EPA Method 28R, and CSA B415.1-10 certified. Optional cooking plate and decorative top. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.

ELDA *



Model #CBEL

Add warmth, comfort, and a touch of magic to your home with the **ELDA** freestanding wood-burning cookstove. This eco-friendly model, recommended for 1,000 to 1,800 sq. ft. areas, provides a maximum heating capacity of 70,000 BTU. It can receive logs up to 18" long.

The attractive **ELDA** model includes an arched cast iron door on firebox side, chromed corners, and an ash tray. More importantly, it features on top three removable lids for cooking, including a double one. With 1.88 g/h emissions, this model is EPA Method 28R, CSA B415.1-10, and mobile home certified. Cooking plate available as an option. Outdoor air intake connector included (optional ducting). Limited lifetime warranty.

SERIES 22000

CHARACTERISTICS

- CERTIFIED EPA-CAN/CSA B415.1: 1.56 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 110,000 BTU
- Recommended heating area (ft²): 1,000 - 3,000
- Maximum log length: 22"

PIONEER

The **PIONEER** is a classic in wood stove design. It can heat up to 3,000 sq. ft. and has a heating capacity up to 110,000 BTU (dry cordwood). High efficiency wood stove, US EPA NSPS 2020 and CSA B415.1 certified.



Model #PBPI

SCORE



Model #PBSC



With its contemporary look, the **SCORE** on base is designed to enhance your home. Its heating capacity of up to 110,000 BTU (dry cordwood) is sure to please. High efficiency wood stove US EPA NSPS 2020 and CSA B415.1 certified.

HUBBLE



Model #PBHU



The high-efficiency **HUBBLE** freestanding wood stove features a flat top, an arched cast iron door and a chrome handle. It is recommended for areas from 1,000 to 3,000 sq. ft.

Its heating capacity can reach up to 110,000 BTU (dry cordwood) and the model can accommodate logs up to 22" long. An outdoor air intake is included. Outdoor air intake ducting, two blowers and a thermodisk are available as an option. With low emissions of 1.56 g/h, the **HUBBLE** model is mobile home as well as EPA and CSA B415.1 standards certified.

APOLLO

The **APOLLO** is designed to circulate heat throughout the room where it is installed using the 460 CFM included. A second blower of the same power can also be added for greater comfort (optional).

High efficiency wood stove provided with heat accumulator unit on top allowing a better distribution of the heat throughout the room and optimizing the heating capacity of the unit up to 130,000 BTU. US EPA NSPS 2020 and CSA B415.1 certified.



Model #PBAP

GEMINI



Model #CBGE



The **GEMINI** stove's oven is located on top of the woodburning stove; an interesting advantage when it comes to minimizing space. A controller vent is built in and provide a better control of the heat of the oven. High efficiency wood cookstove US EPA NSPS 2020 and CSA B415.1 certified.



CHARACTERISTICS

- CERTIFIED EPA-CAN/CSA B415.1: 1.56 g/h
- MOBILE HOME & NOVOCLIMAT APPROVED
- Capacity (dry cordwood): 110,000 BTU
- Recommended heating area (ft²): 1,500 - 3,000
- Maximum log length: 22"

The models identified with this * have a cook top surface with removable cover and an outdoor air intake.



* KOCHER

The **KOCHER** is a very versatile freestanding wood cookstove that is suited for 1,500 to 3,000 sq. ft. areas. It perfectly combines traditional heat, a food warmer and four removable lids for cooking on top, and a water tank on the side.

Its design is both beautiful and convenient with its arched cast iron door on the firebox, an ash tray, a squared door on oven side, as well as chromed oven racks, corners and ornaments. It provides up to 110,000 BTU (dry cordwood) and is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). The model can accommodate logs up to 22" and includes outdoor air intake connector (optional ducting).



Model # CBKOC

COCINERA *



Model #CBCOC

The freestanding **COCINERA** wood cookstove features an arched cast iron door on the firebox, a square one on oven side and an ash tray. This versatile model includes a food warmer, an oven rack and four removable lids for cooking. It comes with chromed handles, corners, and ornaments.

The **COCINERA** cookstove is recommended for 1,500 to 3,000 sq. ft. areas. It provides up to 110,000 BTU (dry cordwood) and is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). Its 3.01 cu. ft. firebox can receive logs up to 22" in length. Outdoor air intake connector included (optional ducting).

FORNELLO *



Modèle #CBFOR

FORNELLO is a modern-looking, high-efficiency freestanding wood-burning cookstove with chromed handles and corners. It includes an arched cast iron door on the firebox, a square door on oven side, an ash tray, a chromed oven rack and four removable lids for cooking.

With up to 110,000 BTU (dry cordwood), it is perfect for heating areas between 1,500 and 3,000 sq. ft. The **FORNELLO** model is EPA and CSA B415.1 certified (low emissions of 1.56 g/h). Maximum log length of 22", outdoor air intake connector included (optional ducting).



PRODUCT NAME	CODE	RECOMMENDED SURFACE (ft ²)	MAXIMUM CAPACITY (dry cordwood)	MAXIMUM LOG LENGTH	FIREBOX VOLUME (ft ³)	OVERALL DIMENSIONS (W x H x D) (in.)	OVEN DIMENSIONS (W x H x D) (in.)	EPA	CSA B415	EMISSIONS	WEIGHT	MOBILE HOME APPROVED
CENTAURI	PBCE	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 54-1/8 x 25-1/2	N/A	√		1.43 g/h	320 lbs	Yes
VEGA	PBVE	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 41-1/4 x 25-1/2	N/A	√		1.43 g/h	297 lbs	Yes
POLARIS	PBPO	500-1,800	70,000 BTU	18"	1.82	26-7/8 x 33 x 25-1/2	N/A	√		1.43 g/h	266 lbs	Yes
ULTIMATE	ULT15	1,200-3,800	120,000 BTU	24"	4.47	29 x 37-13/16 x 37-7/16	N/A		√	1.30 g/h	507 lbs	No
FORGERON	FORGERON	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
FORGERON CUISINIERE	FORCUI	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 54-1/8 x 30-5/8	N/A		√	1.02 g/h	440 lbs	With option
ATMOSPHERE 3.0	PBATM3	1,000-2,500	95,000 BTU	19"	2.51	29-7/8 x 33-1/8 x 30-5/8	N/A		√	1.02 g/h	380 lbs	With option
ATMOSTHERE 3.0 PLUS	PBATM3P	1,000-3,000	110,000 BTU	19"	2.51	29-7/8 x 51-1/4 x 31-7/8	N/A		√	1.02 g/h	510 lbs	With option
FERRONNIER	PBFER	1,000-2,500	95,000 BTU	19"	2.51	30-3/8 x 51-3/8 x 30-5/8	17 x 11-3/4 x 13-3/4		√	1.02 g/h	490 lbs	With option
FORGEUR	PBFORG	1,000-2,500	95,000 BTU	19"	2.51	30-5/8 x 41-1/4 x 30-5/8	N/A		√	1.02 g/h	445 lbs	With option
STRATO	CBSTRA CBSTRAUS	1,500-2,300	95,000 BTU	19"	2.51	62-1/2 x 58-3/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	640 lbs	No
CUISINIERE 3.0	CUI3 CUI3US	1,500-2,300	95,000 BTU	19"	2.51	51-1/2 x 58-3/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	610 lbs	No
EXO	CBEXO CBEXOUS	1,500-2,300	95,000 BTU	19"	2.51	51-1/2 x 39-1/8 x 28-5/8	17 x 11-3/4 x 19	Exempt	√	1.02 g/h	500 lbs	No
CHIEF	CBCH	1,000-1,800	70,000 BTU	18"	1.79	51-3/4 x 58-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	√		1.88 g/h	567 lbs	Yes
CUISTOT	CBCU	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 58-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	√		1.88 g/h	532 lbs	Yes
ELDA	CBEL	1,000-1,800	70,000 BTU	18"	1.79	41-5/8 x 37-1/2 x 26-1/4	17-1/2 x 12-1/2 x 18-3/4	√		1.88 g/h	468 lbs	Yes
PIONEER	PBPI	1,000-3,000	110,000 BTU	22"	3.8	26 x 36-5/8 x 33-5/8	N/A	√		1.56 g/h	360 lbs	Yes
SCORE	PBSC	1,000-3,000	110,000 BTU	22"	3.8	28-1/8 x 36-5/8 x 34-1/4	N/A	√		1.56 g/h	370 lbs	Yes
HUBBLE	PBHU	1,000-3,000	110,000 BTU	22"	3.8	26 x 45 x 34-3/8	N/A	√		1.56 g/h	370 lbs	Yes
APOLLO	PBAP	1,000-3,500	130,000 BTU	22"	3.8	26 x 56-1/4 x 33-5/8	N/A	√		1.56 g/h	460 lbs	Yes
GEMINI	CBGE	1,000-3,000	110,000 BTU	22"	3.8	28 x 54-7/8 x 34-3/8	17 x 11-3/4 x 16-3/4	√		1.56 g/h	500 lbs	Yes
KOCHER	CBKOC	1,500-3,000	110,000 BTU	22"	3.8	57-7/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	√		1.56 g/h	717 lbs	No
COCINERA	CBCOC	1,500-3,000	110,000 BTU	22"	3.8	47-3/8 x 61-7/8 x 34-1/2	17 x 11-3/4 x 19	√		1.56 g/h	685 lbs	No
FORNELLO	CBFOR	1,500-3,000	110,000 BTU	22"	3.8	47-1/4 x 40-7/8 x 34-1/2	17 x 11-3/4 x 19	√		1.56 g/h	600 lbs	No



* Picture for illustrative purpose only.



J. A. ROBY

J.A. ROBY
490, RUE DE L'ARGON
QUEBEC, QC, CANADA G2N 2C9

Printed in Canada
06_2024_V_2